

Imray Correction Notice ICC64-2

17 April 2024

Chart **C64** WGS 84

Edition 2016

Versions available:

New Edition (corrected to April 2016)

Update (corrected to June 2017)

Update (corrected to June 2018)

Update (corrected to June 2019)

Update (corrected to March 2021)

Update (corrected to March 2022)

Update (corrected to April 2024)

NOTES

Below is a complete list of corrections issued since the 2016 edition of this chart was published.

Each correction is issued with an ILNW reference number and year.

Corrections are listed chronologically in ascending order.

For Update versions of this chart, please check the bottom left corner of the chart to determine the last applied correction.

Any further corrections will be applicable from that point onwards.

1 **Portrush (Plan E)**

Amend Lt from F.R (occas) to F.Bu (occas) in:

55°12'·45N 6°39'·44W

55°12'·44N 6°39'·46W (ILNW 188/16)

2 **Port Ellen (Plan C)**

Amend Lt to 2F.R(vert) in 55°37'·61N 6°11'·43W (ILNW 232/16)

3 **Londonderry NE (Lough Foyle continuation plan)**

Insert G conical Lt buoy **Lisahally** Q.G in 55°02'·52N 7°16'·00W. (ILNW 325/16)

4 **Port Ellen (Plan C)**

Insert depth:

0·9m & extend 2m contour E to enclose in 55°37'·31N 6°12'·85W

0·6m in 55°37'·81N 6°11'·60W. Delete 1·7m close NW

0·8m in 55°37'·84N 6°11'·78W

1·3m & extend 2m contour SE to enclose in 55°37'·93N 6°12'·12W

Replace depth 1·6m with 0·8m in 55°37'·92N 6°12'·02W (ILNW 437/16)

5 **The Storks**

Delete R safewater Bn plus assoc. lgd Bn (11) in 55°13'·31N 6°35'·34W (ILNW 82/17)

6 **Sanda Sound**

Delete Y spec. pillar Lt buoy FI.Y.5s in 55°18'·17N 5°35'·86W (ILNW 221/17)

7 **Belfast Lough (Main chart & Plan G)**

Replace R can Lt buoy **Briggs** FI(2)R.10s with BY N card pillar Lt buoy Q in 54°41'·18N 5°35'·73W. AIS transmitter remains. (ILNW 222/17)

8 **North Channel, East Maiden**

Amend Lt FI(3)15s29m23M&FI.R.5s15m8M to FI(3)15s32m18M&FI.R.5s15m8M in 54°55'·74N 5°43'·65W. Radar beacon and AIS remain unchanged. (ILNW 632/17)

9 **Loch Indaal**

Insert Lt Iso.WRG.4s5M (occas) in 55°46'·01N 6°21'·63W (ILNW 26/18)

10 **Belfast Lough (Plan G)**

Delete Y mooring Lt buoy FI.Y.5s in 54°43'·35N 5°44'·72W (ILNW 51/18)

11 Belfast Lough (Main chart & Plan G)

Delete G con Lt buoy **Cloghan Jetty** Q.G in 54°44'·12N 5°41'·60W (ILNW 120/18)

12 West Loch Tarbert (Plan B)

Delete Y con Lt buoy Fl.Y.5s in 55°48'·31N 5°29'·00W (ILNW 196/18)

13 Mew Island (Main chart & Plan G)

Amend Lt at **LT HO.** to FFI(4)30s35m18M in 54°41'·92N 5°30'·82W (ILNW 212/18)

14 West Loch Tarbert

Move R Lt Bn FI(2)R.5s5m3M in 55°45'·37N 5°35'·74W to 55°45'·42N 5°35'·56W plus add radar reflector sym. (ILNW 267/18)

15 Larne (Plan F)

Insert Lt 2F.G(vert) in:

54°50'·95N 5°47'·76W

54°50'·86N 5°47'·80W

54°50'·75N 5°47'·81W (ILNW 291/18)

16 The Storks

Insert BY N cardinal pillar Lt buoy Q in 55°13'·35N 6°35'·41W (ILNW 333/18)

17 Portrush (Plan E)

Insert depth 0·7m in 55°12'·36N 6°39'·51W. Delete depth 3·5m close N (ILNW 457/18)

18 Rathlin Island

Insert racon sym. plus assoc. lgd AIS at Rue Pt Lt in 55°15'·52N 6°11'·46W (ILNW 71/19)

19 River Foyle (Inset plan)

Insert Lt Dirlso.WRG.2s18m9M in 55°02'·75N 7°14'·68W

Replace **Culmore Bay** G con Lt buoy with Lt Bn FI.G&FI.WRG in 55°02'·77N 7°15'·67W

Amend Lt desc. at Lt Bn:

Muff FI.G to Dirlso.WRG&FI.G in 55°03'·62N 7°14'·25W

Faughan FI.R to VQ.R in 55°03'·12N 7°14'·47W (ILNW 48/20)

20 River Foyle (Plan D)

Amend Lt desc. at Lt Bn:

Castleary FI.G to Q.G in 55°10'·07N 7°05'·24W

Vances FI.R to Oc.R in 55°08'·58N 7°07'·87W

Argus FI(3)G to FI.G in 55°08'·51N 7°08'·62W

Willsboro FI(2)R to Oc.R in 55°04'·65N 7°13'·46W

Muff FI.G to Dirlso.WRG&FI.G in 55°03'·62N 7°14'·25W

FI.R to VQ.R in 55°03'·12N 7°14'·47W (ILNW 48/20)

21 Mull of Kintyre

Amend range of Lt to 18M in 55°18'·62N 5°48'·20W (ILNW 410/20)

22 Scientific Instruments

Insert lgd *Scientific Instruments* centred on:

55°39'·00N 6°36'·00W (ILNW 124/21)

23 Port Ellen (Plan C)

Delete Lt FI.G.5s in 55°37'·65N 6°11'·29W (ILNW 165/21)

24 Rathlin Island

Amend range of Lt to 18M in:

55°18'·05N 6°16'·81W

55°18'·09N 6°10'·28W (ILNW 344/21)

25 Barr's Pt & Ferris Bay (Plan F)

Replace depth 3.4m with 2.0m in 54°51'·56N 5°46'·79W

Insert depth 1.5m enclosed by 2m contour in 54°51'·18N 5°47'·12W (ILNW 478/21)

26 Donaghadee (Plan G)

Amend range of Lt from 18/14M to 16/10M in 54°38'·70N 5°31'·86W (ILNW 150/22)

27 Cloghan Pt (Plan G)

Insert G con Lt buoy **Cloghan Jetty** Q.G in 54°44'·13N 5°41'·61W (ILNW 164/22)

28 Port Ellen (Plan C)

Insert depth:

1.7m in 55°37'·82N 6°12'·44W. Del 2.2m close NE

0.8m in 55°37'·84N 6°11'·56W. Del 1.5m close NE

2.1m in 55°37'·75N 6°11'·79W (ILNW 485/22)

29 North Middle Bank (Plan D)

Insert depth:

3.3m in 55°09'·08N 7°06'·29W. Delete depth 10.4m close SW

2.6m in 55°09'·29N 7°05'·98W

2.1m in 55°09'·62N 7°05'·59W

1.3m in 55°09'·86N 7°05'·24W. Delete depth 11m close W (ILNW 98/23)

30 Port Ellen (Plan C)

Amend Lt desc. at G con Lt buoy Iso.G.2s to Fl.G.3s in 55°37'·63N 6°11'·34W (ILNW 200/23)

31 Wymer's Jetty, Larne (Plan F)

Insert small drying patch centred on 54°50'·52N 5°47'·88W (ILNW 264/23)

32 Frenchman's Rocks W (*correction amended see ILNW 109/24*)

Insert Y pillar Lt buoy Fl(5)Y.20s in 55°41'·78N 6°37'·11W (ILNW 289/23)

33 Lough Foyle (Plan D)

Insert R can Lt buoy **McKinney's** Fl.R.5s in 55°11'·30N 7°00'·09W. Delete R Lt bn **McKinney's** Fl.R.5s close E (ILNW 68/24)

34 Frenchman's Rocks W

Insert racon symbol and assoc lgd AIS at Y pillar Lt buoy Fl(5)Y.20s in 55°41'·78N 6°37'·11W (ILNW 109/24)