

Imray Correction Notice ICC54-2

31 October 2024

Chart **C54** WGS 84

Edition 2018

Versions available:

New Edition (corrected to August 2018)

Update (corrected to August 2019)

Update (corrected to March 2021)

Update (corrected to March 2022)

Update (corrected to March 2023)

Update (corrected to February 2024)

NOTES

Below is a complete list of corrections issued since the 2018 edition of this chart was published.

Each correction is issued with an ILNW reference number and year.

Corrections are listed chronologically in ascending order.

For Update versions of this chart, please check the bottom left corner of the chart to determine the last applied correction.

Any further corrections will be applicable from that point onwards.

1 **Galway Bay**

An Ocean Energy Test Site has been established in Galway Bay.

Insert limit of restricted area joining:

53°13'·90N 9°16'·15W

53°13'·90N 9°15'·55W

53°13'·60N 9°15'·55W

53°13'·60N 9°16'·15W

Add assoc. lgd *Ocean Energy Test Site (buoyed)*.

Delete Y spec. pillar Lt buoy FI.Y.8s in 53°13'·63N 9°15'·97W.

Testing of renewable energy installations both above and below the surface takes place in this area. Yachtsmen should avoid passing inside the cardinal buoys marking the test area. (ILNW 556/18)

2 **Doonagore Bay N**

Insert Lt Ldg 2Oc in 53°00'·90N 9°24'·29W (ILNW 722/18)

3 **North Sound**

Delete Y spher. Lt buoy FI(5)Y.20s in 53°10'·11N 9°43'·61W (ILNW 180/20)

4 **Blacksod Point**

Insert racon symbol and assoc. lgd AIS at Lt FI(2)WR.7.5s12/9M in 54°05'·95N 10°03'·63W. (ILNW 205/20)

5 **Killala Bay**

Insert racon sym. and assoc. lgd AIS at BYB E cardinal Lt buoy **Carrickpatrick** in 54°15'·56N 9°09'·17W (ILNW 226/20)

6 **Aran Islands E**

Delete Y spec pillar Lt buoy FI(2)Y.8s in 53°08'·09N 9°30'·66W (ILNW 236/20)

7 **Black Rock, Sligo Bay (Main chart & Plan A)**

Insert racon sym and assoc lgd AIS at Lt FI.WR.5s10/8M in 54°18'·45N 8°37'·05W (ILNW 315/20)

8 **Killala**

Amend Lt to 2xLdg.Iso.Bu.2s in 54°12'·96N 9°12'·97W (ILNW 426/20)

9 **Annagh Head W**

Move Y spec pillar Lt buoy FI.Y from:

54°13'·92N 10°08'·86W to 54°13'·62N 10°09'·30W. Del assoc. lgd (2 buoys)

54°17'·22N 10°16'·98W to 54°16'·69N 10°18'·19W. Del assoc. lgd (2 buoys)

Insert Y spher Lt buoy FI.Y in 54°13'·87N 10°08'·65W (ILNW 525/20)

10 Gubacashel (Main chart & Plan B)

Insert racon sym and assoc. lgd AIS at Lt Iso.WR.4s27m17/12M in 54°16'·06N 9°53'·32W (ILNW 92/21)

11 Clare Island N

Delete Y spher Lt buoy FI(5)Y.20s A/S and assoc racon sym in 53°51'·87N 10°03'·11W (ILNW 345/21)

12 Darby's Pt (Plan D)

Amend Lt Ldg2Oc to Ldg2Oc.Bu in 53°52'·50N 9°56'·90W (ILNW 460/21)

13 Murvey Rocks

Insert underwater rock symbol enclosed by dangerline in 53°21'·99N 10°01'·24W (ILNW 569/21)

14 Aran Islands, Skerd Rocks & Namackan Rocks N

Numerous depths less than charted exist between Cromwell Shoal & Inisheer. The most significant are as follows:

Insert depth:

4·5m in 53°15'·40N 9°59'·29W

4·3m in 53°14'·95N 9°58'·34W

2·9m in 53°08'·48N 9°50'·29W

Replace depth:

4·3m with depth 2·7m in 53°15'·85N 9°56'·27W

7·3m with depth 3·7m in 53°15'·55N 9°51'·10W

Yachtsmen are advised to navigate with caution throughout the area. (ILNW 398/22)

15 Hen I. S

Insert depth 4·7m in 53°22'·04N 10°04'·64W (ILNW 417/22)

16 Inisheer N, Aran Islands

Insert Lt FI.WRG.5s8M in 53°04'·10N 9°31'·34W (ILNW 554/22)

17 Approaches to Ballyconneely Bay & Big Sound (Main chart & Plan I)

Main chart

Insert:

Depth 1·0m in 53°23'·12N 10°02'·83W. Delete depth 5·2m close N

Drying rock sym in 53°24'·20N 10°04'·03W

Replace depth 1·5m with 0·7m in 53°24'·12N 10°04'·48W

Main chart & Plan I

Replace depth 6·4m with 4·4m in 53°21'·46N 9°58'·08W (ILNW 94/23)

18 Croaghnaकेela W

Replace depth:

9·8m with 4·0m in 53°20'·37N 10°03'·31W

8·2m with 5·3m in 53°19'·55N 10°02'·43W

Insert lgd *Less Water Rep.* (2023) centred on 53°19'·83N 10°03'·54W (ILNW 153/23)

19 Skerd Rocks

Insert depth:

5·2m in 53°16'·05N 9°57'·65W

1·5m in 53°15'·90N 9°58'·98W

3·2m in 53°15'·71N 9°58'·65W

3·4m in 53°15'·36N 9°57'·94W

2·2m in 53°15'·00N 9°57'·30W. Delete depth 42m close S

Replace depth 9·4m with 4·2m in 53°16'·37N 9°57'·76W (ILNW 194/23)

20 Mweenish I. to Rossaveel

Numerous depths less than charted exist between Mweenish I. and Rossaveel. The most significant are as follows:

Insert depth:

1·4m in 53°17'·08N 9°49'·44W

0·9m in 53°14'·75N 9°45'·70W

Insert drying patch in:

53°16'·78N 9°49'·03W

53°17'·08N 9°48'·87W

Replace depth 2·1m with drying patch in 53°17'·22N 9°48'·69W

Replace depth 3·0m with drying height -0·8m in 53°16'·50N 9°33'·87W (ILNW 263/23)

21 Gorumna Island W

Replace depth:

5·8m with 3·7m enclosed by 5m contour in 53°16'·50N 9°45'·50W

0·6m with 0·2m in 53°17'·41N 9°49'·93W (ILNW 145/24)

22 Clew Bay

Insert depths:

5.1m in 53°48'·57N 9°43'·94W and delete depth 6.2m close NW

7.4m in 53°48'·16N 9°43'·79W and delete depth 9m close SE

8.2m in 53°48'·35N 9°45'·17W enclosed by 10m contour (ILNW 501/24)

23 Killala Bay

Insert Lt DirOc.WRG.4s3M in 54°16'·06N 9°03'·69W (ILNW 518/24)