

Imray Correction Notice ICM22-2

25 July 2024

Chart M22 WGS 84

Edition 2018

Versions available:

New Edition (corrected to July 2018)

Update (corrected to July 2019)

Update (corrected to April 2021)

Update (corrected to April 2022)

Update (corrected to April 2023)

Update (corrected to March 2024)

NOTES

Below is a complete list of corrections issued since the 2018 edition of this chart was published.

Each correction is issued with an ILNW reference number and year.

Corrections are listed chronologically in ascending order.

For Update versions of this chart, please check the bottom left corner of the chart to determine the last applied correction.

Any further corrections will be applicable from that point onwards.

1 Hefa (Haifa) (Plan C) (Correction amended see ILNW 357/19)

Move R port pillar Lt buoy:

Q.R in 32°49'·29N 35°01'·14E to 32°49'·30N 35°01'·25E

Fl(2)R.5s in 32°49'·08N 35°01'·33E to 32°49'·19N 35°01'·30E (ILNW 489/18)

2 Ashqelon W

Insert limit of recommended route, joining:

31°42'·3N 34°23'·0E (existing limit)

31°40'·3N 34°27'·0E (existing limit)

Delete limit of recommended route, joining:

31°42'·3N 34°23'·0E (existing limit)

31°32'·6N 34°19'·7E

31°28'·3N 34°22'·8E (coast)

and

31°40'·3N 34°27'·0E (existing limit)

31°33'·1N 34°24'·6E

31°31'·7N 34°25'·8E (coast) (ILNW 584/18)

3 Mīnā' Dumyāt (Damietta Port) N (Correction superseded see ILNW 399/19)

Amend Lt desc. at RW safe water pillar Lt buoy Q(2) to Fl.3s in 31°37'·7N 31°46'·4E (ILNW 28/19)

4 Egypt, Rosetta

Delete Lt Rosetta Fl(4)20s20M plus racon sym & assoc. lgd Racon(TA) in 31°26'·6N 30°25'·8E (ILNW 36/19)

5 Naḥsholim W

Insert G con. Lt buoy Fl.7s in 32°35'·9N 34°49'·5E (ILNW 119/19)

6 Naḥsholim W

Insert lit platform sym. in 32°35'·9N 34°48'·3E (ILNW 182/19)

7 Haifa W

Insert Y spher. Lt buoy Fl.Y plus racon sym. & assoc. lgd A/S in 32°49'·1N 34°22'·8E (ILNW 240/19)

8 Hefa (Haifa) (Plan C)

Delete:

BY N cardinal pillar Lt buoy VQ plus assoc. racon sym & lgd A/S in 32°50'·15N 35°01'·09E

YBY W cardinal pillar Lt buoy Q(9)15s plus assoc. racon sym & lgd A/S in 32°49'·96N 35°01'·38E (ILNW 299/19)

9 Hefa (Haifa) (Plan C)

Move R port pillar Lt buoy Q.R in 32°49'·30N 35°01'·25E to 32°49'·18N 35°01'·34E
Delete R port pillar Lt buoy:
FI(2)R.5s in 32°49'·19N 35°01'·30E
FI(4)R.10s in 32°49'·74N 35°01'·41E (ILNW 357/19)

10 Râs Sarafand

Move Lt FI.3s3M in 33°26'·3N 35°15'·8E to 33°26'·8N 35°16'·6E (ILNW 398/19)

11 Mīnā' Dumyāt (Damietta Port) N

Amend Lt desc. at RW safe water pillar Lt buoy FI.3s to Q(2)2s in 31°37'·7N 31°46'·4E (ILNW 399/19)

12 Hefa (Haifa) (Plan C)

Insert Lt Q.Bu.3s in:
32°49'·53N 35°00'·53E. Delete Lt Iso.5s close W
32°49'·56N 35°00'·71E. Delete Lt FI(3)10s close W (ILNW 476/19)

13 Cyprus, Limassol

Amend Lts Oc.G.7s10M & Q(6)R.10s12M to Oc.G.7s4M & Q(6)R.10s5M in 34°39'·0N 33°01'·7E (ILNW 533/19)

14 Hefa (Haifa) (Plan C)

Delete Y special spher. Lt buoy Q in:
32°51'·85N 35°00'·90E
32°51'·65N 35°01'·18E
32°51'·29N 35°01'·28E
32°50'·82N 35°01'·66E
32°50'·74N 34°58'·24E
Delete Y special pillar Lt buoy Q in:
32°50'·20N 35°01'·72E
32°49'·75N 35°00'·63E (ILNW 570/19)

15 Hefa (Haifa) (Plan C)

Insert:
R port pillar Lt buoy Mo(A)R.8s in 32°51'·21N 35°01'·11E
G starboard pillar Lt buoy Mo(A)G.8s in 32°51'·06N 35°00'·83E
RGR pillar Lt buoy FI(2+1)R.10s in 32°49'·30N 35°01'·26E (ILNW 608/19)

16 Haifa NW

Insert Igd *Oil and Gas Activity (see Note)* centred on 33°20'·1N 34°16'·5E (ILNW 95/20)

17 Egypt, Rosetta

Insert Lt FI(3)+LFI.17M in 31°26'·8N 30°26'·0E (ILNW 96/20)

18 Larnaca Bay

Insert dangerous wreck sym. in 34°57'·7N 33°41'·5E (ILNW 98/20)

19 Haifa N

Amend Lt at Y spher buoy from Q.Y to FI.Y.4s in 33°02'·1N 34°56'·7E (ILNW 527/20)

20 Lebanon, Sidon

Delete dangerous wk sym in 33°33'·5N 35°20'·9E (ILNW 543/20)

21 Haifa W

Move Y spher Lt buoy FI.Y from 32°49'·1N 34°22'·8E to 32°46'·9N 34°23'·7E (ILNW 26/21)

22 Larnaca (Plan A)

Replace B con Lt buoy Q with G con Lt buoy FI.G.2s in 34°55'·83N 33°39'·16E (ILNW 152/21)

23 Ashdod

Replace Lt FI.G.7M with FI.G.5s15M in 31°50'·7N 34°38'·2E (ILNW 206/21)

24 Baltim W

Insert dangerous wk sym in 31°37'·2N 30°35'·2E (ILNW 287/21)

25 Jounié N, Lebanon

Delete Lt FI.3s5M in 34°01'·7N 35°37'·4E (ILNW 349/21)

26 Jounié (Plan B)

Insert lgd *Works in Progress* centred on 33°59'·30N 35°36'·90E (ILNW 350/21)

27 Abu Qîr N, Egypt

Delete BY N card pillar Lt buoy VQ in 31°22'·2N 30°06'·4E (ILNW 220/22)

28 Haifa NW

Insert lit platform in 33°12'·2N 34°17'·1E (ILNW 327/22)

29 Haifa W

Insert Y can Lt buoy ODAS Q.Y in 32°47'·6N 34°23'·0E. Delete Y spher Lt buoy FI.Y with assoc A/S close SE (ILNW 464/22)

30 El Iskandaria (Alexandria)

Delete racon sym. & lgd Racon(X) at Lt in 31°11'·7N 29°51'·7E (ILNW 301/23)

31 Port Fouad Gasfield, Egypt N

Insert lit platform symbol in:

31°31'·36N 32°38'·95E

31°30'·44N 32°45'·56E

31°31'·50N 32°39'·97E

31°33'·98N 32°42'·24E (ILNW 31/24)

32 Rosetta, Egypt

Amend Lt FI(3)+LFI.17M to FI(4)17M in 31°26'·8N 30°26'·0E (ILNW 233/24)

33 Israel, Hadera

Amend Lt desc FI.R to F.R in 32°28'·2N 34°51'·8E (ILNW 259/24)

34 Recommended Route Alexandria - El Arîsh

The recommended route Alexandria - El Arîsh has been amended.

Insert pecked line joining 31°17'·0N 33°47'·8E and 31°28'·N 33°47'·8E (existing route)

Insert recommended direction of traffic flow arrow:

direction 335° centred on 31°23'·7N 33°45'·0E

direction 155° centred on 31°23'·1N 33°43'·4E

Delete existing recommended route pecked line between 31°28'·N 33°47'·8E and 31°12'·2N 33°46'·89E plus assoc. direction of traffic flow arrows. (ILNW 261/24)