

Imray Correction Notice ICC68-2

17 April 2024

Chart C68 WGS 84

Edition 2017

Versions available:

New Edition (corrected to July 2017)

Update (corrected to July 2018)

Update (corrected to July 2019)

Update (corrected to March 2021)

Update (corrected to March 2022)

Update (corrected to April 2024)

NOTES

Below is a complete list of corrections issued since the 2017 edition of this chart was published.

Each correction is issued with an ILNW reference number and year.

Corrections are listed chronologically in ascending order.

For Update versions of this chart, please check the bottom left corner of the chart to determine the last applied correction.

Any further corrections will be applicable from that point onwards.

1 **Fall of Warness & Scapa Flow**

Insert Turbine depth 7.5m enclosed by circular dangerline in 59°08'·05N 2°48'·89W

Amend Lt desc Fl(5)Y.20s at Y special spher Lt buoy to Fl.Y.5s in 58°53'·72N 2°57'·00W (ILNW 19/18)

2 **Scapa Flow**

Add lgd (2 buoys) to Lt desc Fl.Y.5s at Y special spher Lt buoy in 58°53'·72N 2°57'·00W (ILNW 46/18)

3 **Hoy E, Green Head**

Delete Y spec. con Lt buoy Fl(5)Y.20s in 58°52'·53N 3°12'·40W (ILNW 132/18)

4 **Fall of Warness**

Replace lit platform & racon sym. Fl.Y.3s A/S with *Obstr* sym. in 59°08'·59N 2°48'·39W (ILNW 223/18)

5 **Stromness Harbour (Plan D)**

Insert Y special Bn in:

58°58'·00N 3°17'·46W

58°57'·98N 3°17'·56W

58°57'·73N 3°17'·88W

58°57'·49N 3°18'·02W

58°57'·44N 3°18'·02W

58°57'·26N 3°17'·93W

These mark the end of outfalls. (ILNW 723/18)

6 **Noss Head**

Amend Lt desc. Fl.WR.20s53m25/21M to Fl.20s53m18M in 58°28'·7N 3°03'·0W plus delete assoc. Lt sectors. (ILNW 31/19)

7 **Inganess Bay & Eday SW**

Insert lit platform sym. 2Fl.Y.3s in 58°58'·41N 2°53'·13W

Move lit platform 2Fl.Y.3s in 59°08'·67N 2°48'·95W to 59°08'·48N 2°49'·10W plus amend Lt desc. to 2Fl.Y.5s (ILNW 324/19)

8 **Wick Bay (Plan F)**

Insert R port can Lt buoy Fl(2)R.6s in 58°26'·24N 3°04'·10W

Delete BY N card pillar buoy *The Flaggie (liable to damage)* in 58°26'·28N 3°04'·33W (ILNW 408/19)

9 **Scapa Flow**

Delete lgd (2buoys) at Y special spher Lt buoy Fl.Y.5s in 58°53'·72N 2°57'·00W (ILNW 433/19)

10 **Wick Bay (Plan F)**

Insert Lt Bn with inverted triangle topmark 3Oc.R.6s (vert)(occas) in 58°26'·41N 3°04'·98W (ILNW 584/19)

11 Echnaloch Bay, Scapa Flow

Insert Y can Lt buoy FI.Y.5s (2 buoys) in 58°52'·30N 2°56'·55W (ILNW 332/20)

12 Inganess Bay

Delete lit platform 2FI.Y.3s in 58°58'·41N 2°53'·13W (ILNW 429/20)

13 Eday SW

Insert lit moored vessel 2FI.Y.3s in 59°08'·67N 2°48'·95W (ILNW 378/21)

14 Stromness (Main chart & Plan D)

Main chart

Amend Lt from FI.WG.7/5M to FI.4s7M in 58°56'·96N 3°17'·83W

Plan D

Amend Lt from FI.WG.4s7m7/5M to FI.4s7m7M in 58°56'·96N 3°17'·83W. Remove the G Lt sector. W Lt sector remains unchanged (ILNW 426/21)

15 Flotta N

Insert dangerous wk sym in 58°51'·61N 3°05'·52W (ILNW 477/21)

16 Strathy Pt NE

Insert Y spher Lt buoy ODAS FI(5)Y.20s with racon sym and assoc lgd A/S in 58°39'·17N 3°52'·28W (ILNW 480/21)

17 Kirkwall (Plan C)

Insert depth:

3.5m in 58°59'·26N 2°57'·56W. Delete depth 4.5m close N

1.5m in 58°59'·21N 2°57'·55W. Extend 2m contour N to enclose. Delete depth 2.5m close N

Insert drying height -0.3m in 58°59'·18N 2°57'·76W (ILNW 503/21)

18 Stromness (Plan D)

Insert drying height:

-0.5m in 58°57'·92N 3°17'·56W. Delete depth 0.2m close NW

-0.4m in 58°57'·40N 3°17'·89W. Delete depth 0.7m close NW and 0.6m close SE

-0.3m in 58°57'·30N 3°17'·77W. Delete depth 0.6m close SE

-0.2m in 58°57'·23N 3°17'·74W

Insert depth 1.6m in 58°57'·89N 3°17'·60W (ILNW 503/21)

19 Howequooy Hd, Scapa Flow

Insert lgd Test Centre (see Note) centred on 58°53'·40N 2°57'·00W (ILNW 646/21)

20 Wick Outer Harbour (Plan F)

Replace depth 3.0m with 2.4m in 58°26'·34N 3°04'·78W (ILNW 7/22)

21 Stormy Bank W (correction superseded ILNW 171/24)

Insert Y spher Lt buoy Wave Recorder FI(5)Y.20s in 58°55'·78N 3°56'·18W (ILNW 537/22)

22 Whiten Head Bank W

Insert Y special purpose pillar Lt buoy FLS2 FI(5)Y.20s with assoc A/S in 58°48'·72N 4°20'·64W (ILNW 7/23)

23 Stormy Bank N

Insert Y special purpose pillar Lt buoy FLS1 FI(5)Y.20s with assoc A/S and racon sym in 58°59'·44N 4°08'·41W (ILNW 127/23)

24 Strathy Point NE

Delete Y spher Lt buoy ODAS FI(5)Y.20s plus assoc. racon sym & lgd A/S in 58°39'·17N 3°52'·28W (ILNW 290/23)

25 Eday SW

Replace Lt vessel 2FI.Y.3s with a lit platform 2FI.Y.3s in 59°08'·67N 2°48'·95W

Delete Turbine obstn:

10·0m in 59°09'·19N 2°49'·83W

7·5m in 59°08'·05N 2°48'·89W (ILNW 104/24)

26 Stormy Bank W

Delete Y spher Lt buoy Wave Recorder FI(5)Y.20s in 58°55'·78N 3°56'·18W (ILNW 171/24)

27 Scientific Instruments

Insert Igd *Scientific Instruments* in:

58°53'·20N 4°55'·03W

58°40'·12N 3°59'·96W

58°52'·73N 3°42'·47W (ILNW 172/24)