

Imray Correction Notice

2000 Series small format charts

IC2510-2

23 May 2024

Chart Pack 2510

Edition Jan 2020

Chart 2510.1

Edition 2020

1 Jersey, Pt Corbière

Amend range of Lt Iso.WR.10s18/16M to Iso.WR.10s18/14M in 49°10'·7N 2°14'·9W (ILNW 101/20)

2 Guernsey N

Delete radar beacon and assoc. lgd Racon(P) at **Platte Fougère** Lt in 49°30'·8N 2°29'·2W (ILNW 548/20)

3 Approaches to St Malo

Delete racon sym and assoc lgd A/S at RW safewater Lt buoy Iso in 48°41'·3N 2°07'·3W (ILNW 42/21)

4 Erquy N

Work has commenced on a new wind farm.

Insert restricted area linework joining:

48°55'·5N 2°34'·0W

48°53'·0N 2°30'·1W

48°48'·1N 2°26'·7W

48°47'·4N 2°30'·7W

48°48'·9N 2°34'·5W

48°54'·4N 2°37'·2W

Insert assoc lgd *Wind Farm under construction* (ILNW 559/21)

5 Grand-Léjon

Amend Lt desc. **Grand Léjon** FI(5)WR.20s18/14M to FI(3)WR.12s11/10M in 48°44'·9N 2°39'·6W (ILNW 23/22)

6 Jersey

Amend Grosnez Pt Lt from FI(2)WR.15s19/17M to FI(2)WR.15s10M in 49°15'·5N 2°14'·9W (ILNW 135/22)

7 Cap Fréhel W

Insert depth 1·4m in 48°41'·4N 2°24'·1W. Delete depth 3·0m close E (ILNW 324/23)

Chart 2510.2

Edition 2020

1 St Malo Approaches

Delete dangerous Wk sym in 48°41'·15N 2°01'·97W (ILNW 372/20)

2 St Malo

Delete Racon sym and assoc lgd AIS at Lt in:

48°40'·20N 2°04'·97W

48°40'·26N 1°58'·71W

48°38'·16N 2°01'·30W

48°37'·60N 2°00'·24W (ILNW 571/20)

3 Approaches to St Malo

Delete racon sym and assoc lgd A/S at RW safewater Lt buoy **Att.St-Malo** in 48°41'·32N 2°07'·27W

(ILNW 42/21)

4 Îles Chausey

Replace Lt bn and assoc lt sector **Le Pignon** FI(2)WR.6s10m9/6M with unlit bn and assoc label (ru) in 48°53'·51N 1°43'·34W

Anvers YBY W card spar buoy is now lit. Add desc Q(9)15s in 48°53'·91N 1°41'·07W

Insert BY N card spar Lt buoy **Nord Est Chausey** VQ in 48°55'·43N 1°45'·33W (ILNW 479/22)

5 St Malo Approaches

Insert rock which covers/uncovers sym. in 48°39'·48N 2°01'·71W (ILNW 204/23)

6 St Malo Approaches (Plan A)

Insert rock which covers/uncovers sym. & assoc. drying height -0·2m in 48°39'·48N 2°01'·71W

Replace depth 4·8m with depth 3·3m in 48°40'·40N 2°02'·18W (ILNW 204/23)

7 Cap Fréhel W

Replace depth 4·6m with 1·1m in 48°40'·80N 2°20'·57W (ILNW 324/23)

Chart 2510.3

Edition 2020

1 Banc de St-Marc (Main chart & Plan A)

Insert underwater rock symbol enclosed by a dangerline in 48°40'·43N 2°50'·19W (ILNW 220/21)

2 Erquy N

Work has commenced on a new wind farm.

Insert restricted area linework joining:

48°48'·66N 2°34'·00W

48°48'·86N 2°34'·50W

48°50'·10N 2°35'·11W

Insert assoc lgd *Wind Farm under construction* (ILNW 559/21)

3 Grand Léjon

Amend Lt desc. **Grand Léjon** FI(5)WR.20s17m18/14M to FI(3)WR.12s17m11/10M in 48°44'·89N 2°39'·89W plus amend sectors to 015° - R - 058° - W - 190° - R - 253° - W - 283° - R - 350° - W - 015° (ILNW 23/22)

4 Baie de Saint-Brieuc, Petit Léjon

The YBY W cardinal spar buoy in 48°41'·78N 2°37'·59W is now lit. Add Lt desc. Q(9)15s (ILNW 45/22)

5 Cap Fréhel W

Replace depth:

6·2m with 1·4m in 48°41'·42N 2°24'·07W

3·9m with 2·9m in 48°41'·32N 2°23'·52W

4·6m with 1·1m in 48°40'·80N 2°20'·57W (ILNW 324/23)

Chart 2510.4

Edition 2020

1 Ile de Bréhat

Amend range of Lt **Le Paon** Oc.WRG.4s22m11/8M to 10/6M in 48°51'·92N 2°59'·16W (ILNW 188/21)

2 Banc de St-Marc

Insert underwater rock symbol enclosed by a dangerline in 48°40'·43N 2°50'·19W (ILNW 220/21)

3 St-Antoine (*correction amended see ILNW 72/24*)

Replace:

Lt DirOc.R.4s34m15M with building sym and assoc legend House in 48°51'·00N 3°07'·12W. Delete assoc Oc.R Lt sector

Lt Oc.4s12m11M with Lt DirOc.WRG.4s12M in 48°51'·55N 3°07'·89W. Add assoc Lt sector 132°-Oc.G -137°-Oc.W-138°-Oc.R-143°.

Amend assoc leading line lgd to Dir 137° (ILNW 199/22)

4 Plateau de Barnouic W

Delete Y special purpose spher Lt buoy FI(5)Y.20s in 49°01'·99N 2°54'·35W (ILNW 212/22)

5 Ile d'Er N

Delete fog signal *Whis* at R pillar Lt buoy **Basse Crublent** Q.R in 48°54'·28N 3°11'·15W (ILNW 316/23)

6 Approaches to Rivière de Tréguier

Insert depth:

2·8m in 48°54'·90N 3°06'·31W

1·0m in 48°52'·58N 3°08'·55W

Replace depth:

7·5m with 3·0m in 48°54'·29N 3°06'·84W

1·9m with drying rock sym in 48°52'·50N 3°08'·18W

Insert rock awash sym in 48°52'·05N 3°09'·21W

Move:

R can Lt buoy *Le Corbeau* from 48°53'·37N 3°10'·25W to 48°53'·29N 3°10'·11W

G con Lt buoy *Pierre à l'Anglais* from 48°53'·20N 3°10'·43W to 48°53'·30N 3°10'·44W (ILNW 325/23)

7 St-Antoine

Delete building sym and assoc legend House in 48°51'·00N 3°07'·12W. Delete leading, pecked line, joining 48°51'·00N 3°07'·12W and 48°51'·55N 3°07'·88W (ILNW 72/24)

8 Basse Crublent

Move R pillar Lt buoy **Bs. Crublent** Q.R from 48°54'·28N 3°11'·15W to 48°54'·21N 3°11'·24W (ILNW 116/24)

Chart 2510.5

Edition 2020

1 Ile de Bréhat

Amend range of Lt **Le Paon** Oc.WRG.4s22m11/8M to 10/6M in 48°51'·92N 2°59'·16W (ILNW 188/21)

2 Passe de la Gaïne

Insert dangerous wk sym in 48°53'·20N 3°07'·37W (ILNW 649/21)

3 Rivière de Trieux and Paimpol

Insert:

G con buoy **Les Trusques** with triangular topmark in 48°50'·78N 3°02'·89W

YB S cardinal spar buoy in 48°47'·60N 2°59'·70W (ILNW 55/22)

4 St-Antoine (*correction amended see ILNW 72/24*)

Replace:

Lt DirOc.R.4s34m15M with building sym and assoc legend House in 48°51'·00N 3°07'·12W

Lt Oc.4s12m11M with Lt DirOc.WRG.4s12M in 48°51'·55N 3°07'·89W. Del assoc racon symbol and lgd AIS (ILNW 199/22)

5 Plateau de la Horaine N

Insert Y special purpose spher Lt buoy FI(5)Y.20s in 48°54'·39N 2°55'·38W (ILNW 212/22)

6 Sillon de Talbert N

Insert depth 2·8m in 48°54'·90N 3°06'·31W

Replace depth:

7.5m with 3.0m in 48°54'·29N 3°06'·84W

1.9m with drying rock sym in 48°52'·50N 3°08'·18W (ILNW 325/23)

7 **St-Antoine**

Delete building sym and assoc legend House in 48°51'·00N 3°07'·12W (ILNW 72/24)

Chart 2510.6

Edition 2020

1 **St Malo Approaches (Plan A)**

Delete dangerous Wk sym in 48°41'·15N 2°01'·97W (ILNW 372/20)

2 **Approaches to St Malo (Plan A)**

Replace depth:

0.8m with 0.2m in 48°40'·60N 2°00'·50W

2.0m with 1.5m in 48°39'·08N 2°02'·73W

4.0m with 2.5m in 48°40'·16N 2°01'·25W (ILNW 546/20)

3 **St Malo (Plans A & B)**

Delete Racon sym and assoc lgd AIS at Lt in:

48°40'·20N 2°04'·97W (Plan A)

48°40'·26N 1°58'·71W (Plan A)

48°38'·16N 2°01'·30W (Plan A & B)

48°37'·60N 2°00'·24W (Plan A) (ILNW 571/20)

4 **Approaches to St Malo (Plan A)**

Delete racon sym and assoc lgd A/S at RW safewater Lt buoy **Att.St-Malo** in 48°41'·32N 2°07'·27W (ILNW 42/21)

5 **Port des Bas-Sablons (Plan B)**

Insert obstn symbol with associated drying height -3.5m in 48°38'·41N 2°01'·41W (ILNW 634/21)

6 **St Malo Approaches (Plan A)**

Delete restricted area, no fishing, and assoc. Y special con buoys in:

48°40'·72N 2°03'·20W

48°40'·72N 2°02'·79W

48°40'·43N 2°02'·79W

48°40'·43N 2°03'·21W (ILNW 235/23)

7 **Approaches to Dahouët (Plan E)**

Replace R bn with YBY W card Lt bn Q(9)15s in 48°34'·87N 2°34'·27W (ILNW 328/23)

8 **Chenal de la Grande Porte (Plan A)**

Move R pillar Lt buoy **No 2** Fl.R.2.5s from 48°40'·23N 2°07'·48W to 48°40'·24N 2°07'·35W

Delete:

R pillar Lt buoy **No 4** Bell in 48°40'·24N 2°07'·20W

R can buoy **No 6** in 48°40'·26N 2°06'·13W (ILNW 356/23)

9 **Saint-Malo (Plan B)**

Replace depth 2.2m with 1.7m in 48°38'·21N 2°02'·15W (ILNW 152/24)

Chart 2510.7

Edition 2020

1 **Passe de la Gaine**

Insert dangerous wk sym in 48°53'·20N 3°07'·37W (ILNW 649/21)

2 **St-Antoine** (correction amended see ILNW 72/24)

Replace:

Lt DirOc.R.4s34m15M with building sym and assoc legend House in 48°51'·00N 3°07'·12W. Delete assoc Oc.R Lt sector

Lt Oc.4s12m11M with Lt DirOc.WRG.4s12M in 48°51'·55N 3°07'·89W. Add assoc Lt sector 132°-Oc.G -137°-Oc.W-138°-Oc.R-143°.

Amend assoc leading line lgd to Dir 137° (ILNW 199/22)

3 **Ile d'Er N**

Delete fog signal *Whis* at R pillar Lt buoy **Basse Crublent** Q.R in 48°54'·28N 3°11'·15W (ILNW 316/23)

4 **Approaches to Rivière de Tréguier**

Insert depth:

2·8m in 48°54'·90N 3°06'·31W

1·0m in 48°52'·58N 3°08'·55W

Replace depth:

7·5m with 3·0m in 48°54'·29N 3°06'·84W

1·9m with drying rock sym in 48°52'·50N 3°08'·18W

Insert rock awash sym in 48°52'·05N 3°09'·21W

Move:

R can Lt buoy *Le Corbeau* from 48°53'·37N 3°10'·25W to 48°53'·29N 3°10'·11W

G con Lt buoy *Pierre à l'Anglais* from 48°53'·20N 3°10'·43W to 48°53'·30N 3°10'·44W (ILNW 325/23)

5 **St-Antoine**

Delete building sym and assoc legend House in 48°51'·00N 3°07'·12W. Delete leading, pecked line, joining 48°51'·00N 3°07'·12W and 48°51'·55N 3°07'·88W (ILNW 72/24)

6 **Basse Crublent**

Move R pillar Lt buoy **Bs. Crublent** Q.R from 48°54'·28N 3°11'·15W to 48°54'·21N 3°11'·24W (ILNW 116/24)

Chart 2510.8

Edition 2020

1 **St-Antoine** (correction amended see ILNW 72/24)

Replace:

Lt DirOc.R.4s34m15M with building sym and assoc legend House in 48°51'·00N 3°07'·12W. Delete assoc Oc.R Lt sector

Lt Oc.4s12m11M with Lt DirOc.WRG.4s12M in 48°51'·55N 3°07'·89W. Add assoc Lt sector 132°-Oc.G -137°-Oc.W-138°-Oc.R-143°.

Amend assoc leading line lgd to Dir 137° (ILNW 199/22)

2 **La Pierre Noire**

Delete Y special purpose spar Lt buoy Oc.Y.3s in 48°42'·48N 3°52'·44W (ILNW 211/22)

3 **Île Tomé E**

Insert depth 0·2m in 48°50'·37N 3°23'·83W (ILNW 457/22)

4 **Pte de Séhar W**

Insert rock depth 1·8m in 48°43'·08N 3°36'·32W (ILNW 478/22)

5 **Ile d'Er N**

Delete fog signal *Whis* at R pillar Lt buoy **Basse Crublent** Q.R in 48°54'·28N 3°11'·15W (ILNW 316/23)

6 **Approaches to Rivière de Tréguier**

Insert depth:

2.8m in 48°54'·90N 3°06'·31W

1.0m in 48°52'·58N 3°08'·55W

Replace depth:

7.5m with 3.0m in 48°54'·29N 3°06'·84W

1.9m with drying rock sym in 48°52'·50N 3°08'·18W

Insert rock awash sym in 48°52'·05N 3°09'·21W

Move:

R can Lt buoy *Le Corbeau* from 48°53'·37N 3°10'·25W to 48°53'·29N 3°10'·11W

G con Lt buoy *Pierre à l'Anglais* from 48°53'·20N 3°10'·43W to 48°53'·30N 3°10'·44W (ILNW 325/23)

7 **St-Antoine**

Delete building sym and assoc legend House in 48°51'·00N 3°07'·12W. Delete leading, pecked line, joining 48°51'·00N 3°07'·12W and 48°51'·55N 3°07'·88W (ILNW 72/24)

8 **Basse Crublent**

Move R pillar Lt buoy **Bs. Crublent** Q.R from 48°54'·28N 3°11'·15W to 48°54'·21N 3°11'·24W (ILNW 116/24)

9 **Île Tomé N**

Replace depth 3.6m with 0.2m in 48°50'·89N 3°24'·32W (ILNW 197/24)

10 **Locquémeau**

Amend range of Lt from 12/8M to 8M in 48°43'·27N 3°34'·12W (ILNW 218/24)

Chart 2510.9

Edition 2020

1 **Roscoff**

Delete:

YBY W card bn in 48°43'·70N 3°59'·07W

W Pyramid in 48°43'·40N 3°58'·48W (ILNW 464/21)

2 **La Pierre Noire**

Delete *Obstr* symbol and assoc Y special purpose spar Lt buoy Oc.Y.3s in 48°42'·53N 3°52'·47W (ILNW 211/22)

3 **Île de Batz N**

Delete drying wk *PA* in 48°45'·37N 4°01'·55W (ILNW 33/23)

4 **Roscoff**

Delete BYB E cardinal Bn in 48°43'·75N 3°59'·42W (ILNW 34/23)

Chart 2510.10

Edition 2020

1 **Roscoff (Plan F)**

Delete:

YBY W card bn **Notre Dame** in 48°43'·70N 3°59'·07W

W Pyramid in 48°43'·40N 3°58'·48W (ILNW 464/21)

2 **Roscoff (Plan F)**

Delete BYB E cardinal Bn in 48°43'·74N 3°59'·42W (ILNW 34/23)

3 **Locquémeau (Plan E)**

Amend range of Lt from 12/8M to 8M in 48°43'·27N 3°34'·12W (ILNW 218/24)

Chart 2510.11

Edition 2020

1 Port du Pontusval (Main chart & Plan B)

Move BYB E cardinal pillar buoy from 48°41'·43N 4°19'·32W to 48°41'·42N 4°19'·24W (ILNW 631/21)

2 Kerfissien NW

Insert depth 3·1m in 48°42'·01N 4°11'·36W (ILNW 46/22)

3 Île de Batz N

Delete drying wk PA in 48°45'·37N 4°01'·55W (ILNW 33/23)

4 Moguériec (Main chart & Plan A) (correction amended see ILNW 61/24)

Main chart & Plan A

Replace Lt Iso.G.4s25m7M plus assoc Lt sectors in 48°41'·08N 4°04'·36W with Lt DirIso.WRG.4s25m8M plus assoc Lt sectors 157·5°-Iso.G-162·5°-Iso.W-163·5°-Iso.R-168·5°

Replace ldg line & lgd 162° extending in direction 341° with ldg line & lgd 163° extending in direction 342° emanating from 48°41'·08N 4°04'·36W

Delete Lt Iso.WG.4s9m11/6M plus assoc Lt sectors in 48°41'·32N 4°04'·47W

Plan A

Insert G Lt Bn with cone topmark Fl.G.2·5s in 48°41'·39N 4°04'·45W. Delete G Bn with topmark close SW (ILNW 35/23)

5 Moguériec (Main chart & Plan A)

Main chart & Plan A

Replace Lt DirIso.WRG.4s25m8M plus assoc. Lt sectors in 48°41'·08N 4°04'·36W with Lt Iso.G.4s9M. There are no sectors assoc. with this new Lt

Insert Lt DirIso.WG.4s11/8M in 48°41'·35N 4°04'·49W plus assoc. Lt sectors G - 158° - W - 166° - G

Plan A

Delete Lt Fl.G.2·5s at G Bn in 48°41'·39N 4°04'·45W (ILNW 61/24)

Chart 2510.12

Edition 2020

1 L'Aber Wrach

Delete mooring buoy in 48°36'·01N 4°33'·85W (ILNW 32/23)

Chart 2510.13

Edition 2020

1 Brest

Land has been reclaimed to the W of Brest. Insert new quay, line, joining:

48°22'·99N 4°26'·76W (existing quay)

48°22'·82N 4°26'·94W

48°22'·70N 4°26'·67W

48°22'·93N 4°26'·28W (existing quay) (ILNW 38/20)

2 Le Trez-Hir

Delete BYB E cardinal bn in 48°20'·74N 4°41'·99W. (ILNW 210/20)

3 Approaches to L'Aber-Ildut (Main Chart & Plan A) (correction amended see ILNW 40/22)

Insert R can Lt buoy Fl.R.2·5s with topmark in 48°28'·22N 4°46'·75W. Delete R bn Fl.R.2·5s4M close NE (ILNW 397/20)

4 Pointe du Dellec

Delete tower sym and assoc height (99) in 48°21'·01N 4°34'·99W (ILNW 253/21)

5 Île Longue N

Insert *Obstr* sym. in 48°19'·15N 4°30'·12W (ILNW 392/21)

6 Rade de Brest

Insert *Obstr* sym. in 48°19'·45N 4°28'·34W (ILNW 418/21)

7 Approaches to L'Aber-Ildut (Main chart & Plan A)

Insert R Lt Bn Tr sym. with cylinder topmark Fl.R.2·5s4M (Fl.R on main chart) in 48°28'·25N 4°46'·65W.
Delete R can Lt buoy with topmark Fl.R.2·5s close SW (ILNW 40/22)

8 Pte de Saint-Mathieu SW

Move G starboard con Lt buoy **La Fourmi** Fl.G.4s in 48°19'·25N 4°47'·96W to 48°19'·02N 4°48'·01W (ILNW 41/22)

9 Brest

Insert G starboard pillar Lt buoy Fl(3)G in 48°22'·28N 4°27'·39W (ILNW 42/22)

10 Pointe de Corsen

Amend range of Lt from 12/8M to 18M in 48°24'·88N 4°47'·60W (ILNW 254/22)

Chart 2510.14

Edition 2020

1 Approaches to L'Aber-Ildut (*correction amended see ILNW 40/22*)

Insert R can Lt buoy Fl.R.2·5s with topmark in 48°28'·22N 4°46'·75W. Delete R bn Fl.R.2·5s4M close NE (ILNW 397/20)

2 Île d'Oussant SW

Insert drying wreck sym. in 48°26'·21N 5°07'·10W (ILNW 660/21)

3 Approaches to L'Aber-Ildut

Insert R Lt Bn Tr sym. with cylinder topmark Fl.R.2·5s4M in 48°28'·25N 4°46'·65W. Delete R can Lt buoy with topmark Fl.R.2·5s close SW (ILNW 40/22)

4 Pte de Saint-Mathieu SW

Move G starboard con Lt buoy **La Fourmi** Fl.G.4s in 48°19'·25N 4°47'·96W to 48°19'·02N 4°48'·01W (ILNW 41/22)

5 Pointe de Corsen

Amend range of Lt from 12/8M to 18M in 48°24'·88N 4°47'·60W (ILNW 254/22)

Chart 2510 GENERAL

Edition 2020

1 Tidal Streams page

Insert block correction replacing the existing note regarding currents at springs and neaps (ILNW 393/20)

Tidal Streams

Explanation

30,22

30 = 3·0 knots at springs (3 nœuds vive-eau)

22 = 2·2 knots at neaps (2·2 nœuds morte-eau)